

HARROW DISCS (NOTCHED)



Dia- meter	Refer- ence	Thick- ness	Conca- vity	Conca- vity- Inches	Hold Size	Hold Size Inches	Hole Shape	Axle	Axle inches	Edge	Bevel	Bolt Qty	Bolt size	Radius to fit bolt
16	D1608	3.5	35	1-3/8	33,3	1-5/16	ROUND	31,7	1-1/4	-	EXT	-	-	-
16	D1607	3.5	35	1-3/8	23 26.2	15/16 1-1/16	DUAL ROUND SQUARE	22.2 25.4	7/8 Ø1	-	EXT	-	-	-
16	D1606	3.5	35	1-3/8	26,6	1-1/16	SQUARE	25,4	1	-	EXT	-	-	-
16	D1605	3.5	35	1-3/8	26,6	1-1/16 1 3/16	DOUBLE SQUARE	25,4 28.5	1 1-8	-	EXT	-	-	-
16	D1604	3.5	35	1-3/8	26,6	1-1/16	SQUARE	25,4	1	-	EXT	-	-	-
16	D1603	3.5	35	1-3/8	31	1-1/4	SQUARE	30,1	1-3/16	-	EXT	-	-	-
18	D1853	3,5	45	1-3/4	23	15/16	SQUARE	22,2	7/8	EXT	EXT	-	-	-
18	D1823	7,5	45	1-3/4	33,3	1-19/64	ROUND	31,7	1-1/4	EXT	EXT	-	-	-
18	D1822	3,5	45	1-3/4	29.8 33.3	1-3/16 1-5/16	DOUBLE SQUARE	28.5 31.7	1-1/8 1-1/4	EXT	EXT	-	-	-
18	D1819	3,5	45	1-3/4	25,5	1	SQUARE	23,8	15/16	EXT	EXT	-	-	-
18	D1817	3,5	45	1-3/4	22,5	7/8	SQUARE	21	13/16	EXT	EXT	-	-	-
18	D1815	6.0	110	4-1/4	Ø27.0	Ø1-1/16	ROUND			INT	EXT	5	13,5	105
18	D1815	5.0	63	2-1/2	39,7	1-9/16	SQUARE	38	1-1/2	EXT	EXT	-	-	-
18	D1814	3.5	45	1-3/4	26,6	1-1/16	SQUARE	25,4	1	EXT	EXT	-	-	-
18	D1813	3.5	45	1-3/4	29.8 32.5	1-3/16 1-5/16	DOUBLE SQUARE	28.5 31.7	1-1/8 1-1/4	EXT	EXT	-	-	-
18	D1812	3.5	45	1-3/4	29,8	1-3/16	ROUND	28,5	1-1/8	EXT	EXT	-	-	-
18	D1811	3.5	45	1-3/4	23 Ø26.2	15/16 Ø1-1/16	DUAL ROUND SQUARE	25,4	Ø1	EXT	EXT	-	-	-
18	D1803	3.5	45	1-3/4	26.6 29.8	1-1/16 1-3/16	DOUBLE SQUARE	25.4 28.5	1 1- 1/8	EXT	EXT	-	-	-
18	D1800	3.5	45	1-3/4	29,8	1-3/16	SQUARE	28,5	1-1/8	EXT	EXT	-	-	-
20	D2020	3,5	58	2-1/4	22,5	7/8	SQUARE	21	13/16	EXT	EXT	-	-	-
20	D2021	3,5	58	2-1/4	25,5	1	SQUARE	24	15/16	EXT	EXT	-	-	-
20	D2032	4	54	2-1/8	29,8	1-3/16	SQUARE	28,5	1-1/8	EXT	EXT	-	-	-
20	D2070	3,5	54	2-1/8	32.9 29.8	1-9/64 1-3/16	DUAL ROUND SQUARE	28.5 31.5	1-1/8 1-1/4	EXT	EXT	-	-	-
20	D2072	3,5	54	2-1/8	39,3	1-9/16	SQUARE	38	1-1/2	EXT	EXT	-	-	-
20	D2073	3,5	54	2-1/8	Ø42.9	Ø1-11/ 16	ROUND	Ø41.5	Ø1-5/8	EXT	EXT	-	-	-
20	D2074	7,5	51	2	Ø 33.3	Ø 1-19/ 64	ROUND	Ø 31.7	Ø 1- 1/4	EXT	EXT	-	-	-
20	D2018	3,5	58	2-1/4	67,5	2-21/32	HEXAGONAL	66,5	2-5/8	EXT	EXT	-	-	-
20	D2017	3,5	58	2-1/4	30,5	1-3/16	SQUARE	29	1-1/8	EXT	EXT	-	-	-
20	D2016	3,5	58	2-1/4	28,5	1-1/8	SQUARE	27	1-1/16	EXT	EXT	-	-	-
20	D2000	3,5	54	2-1/8	29,8	1-3/16	SQUARE	28,5	1-1/8	EXT	EXT	-	-	-
20	D2001	3,5	58	2-1/4	27	1-1/16	SQUARE	25,5	1	EXT	EXT	-	-	-
20	D2004	3,5	54	2-1/8	29.8 32.9	1-3/16 1-5/16	DOUBLE SQUARE	28.5 31.5	1-1/8 1-1/4	EXT	EXT	-	-	-
20	D2008	3,5	54	2-1/8	26.6 29.8	1-1/16 1-3/16	DOUBLE SQUARE	25.5 28.5	1 1- 1/8	EXT	EXT	-	-	-
20	D2012	3,5	54	2-1/8	26.6 Ø32.5	1-1/16 Ø1-9/32	DUAL ROUND SQUARE	25.5 Ø31.5	1 Ø1- 1/4	EXT	EXT	-	-	-
20	D2013	3,5	54	2-1/8	Ø38.5	Ø1-1/2	ROUND	Ø37.0	1-7/16	EXT	EXT	-	-	-
20	D2015	3,5	58	2/1/2004	23 Ø26.2	29/32 Ø1-1/32	DUAL ROUND SQUARE	22 Ø25.5	7/8 Ø1	EXT	EXT	-	-	-

HARROW DISCS (NOTCHED)

Dia- meter	Refer- ence	Thick- ness	Conca- vity	Conca- vity- Inches	Hold Size	Hold Size Inches	Hole Shape	Axle	Axle inches	Edge	Bevel	Bolt Qty	Bolt size	Radius to fit bolt
24	D2460	6.0	79	3-1/8	Ø42.9	Ø1-11/ 16	ROUND	Ø41.5	1-1/8 1-1/4	EXT	EXT	-	-	-
24	D2461	6.0	54	2-1/8	29,8	1-3/16	SQUARE	28,5	Ø1-5/8	EXT	EXT	-	-	-
24	D2462	6.0	79	3-1/8	31	1-1/4	SQUARE	28,5	1-1/8	EXT	EXT	-	-	-
24	D2463	6.0	79	3-1/8	29.8 Ø32.9	1-3/16 Ø1-5/16	DUAL ROUND SQUARE	30	1-3/16	EXT	EXT	-	-	-
24	D2465	6.0	54	2-1/8	38.9 Ø45.6	1-9/16 Ø1-13/ 16	DUAL ROUND SQUARE	38 Ø44.5	1-1/8 Ø1-1/4	EXT	EXT	-	-	-
24	D2459	6.0	79	3-1/8	29.8 32.9	1-3/16 1- 5/16	DOUBLE SQUARE	28.5 32	1-1/8 1-1/4	EXT	EXT	-	-	-
24	D2458	6.0	92	3-5/8	39.7 Ø42.9	1-9/16 Ø1-11/ 16	DUAL ROUND SQUARE	38 Ø41.5	1-1/2 Ø1-5/8	EXT	EXT	-	-	-
24	D2457	6.0	79	3-1/8	38.9 Ø45.6	1-9/16 Ø1-13/ 16	DUAL ROUND SQUARE	38 Ø44.5	Ø1-3/4	EXT	EXT	-	-	-
24	D2456	6.0	79	3-1/8	Ø46.4	Ø1-7/8	ROUND	Ø44.5	3-7/16	EXT	EXT	-	-	-
24	D2455	6.0	79	3-1/8	88,9	3-1/2	HEXAGONAL	87,5	Ø1-1/4	EXT	EXT	-	-	-
24	D2454	6.0	79	3-1/8	Ø32.9	Ø1-5/16	ROUND	Ø32.0	1-1/2	EXT	EXT	-	-	-
24	D2453	6.0	79	3-1/8	39,7	1-9/16	SQUARE	38	1-1/8	EXT	EXT	-	-	-
24	D2452	6.0	79	3-1/8	29,8	1-3/16	SQUARE	28,5	1-1/8	EXT	EXT	-	-	-
24	D2466	6.0	54	2-1/8	39,7	1-9/16	SQUARE	38	1-1/2 Ø1-3/4	-	EXT	-	-	-
24	D2467	6.0	92	3-5/8	39.7 Ø42.9	1-9/16 Ø1-11/ 16	DUAL ROUND SQUARE	38	1-1/2	EXT	EXT	-	-	-
24	D2497	7.5	92	3-5/8	Ø42.9 39.7	Ø1-11/ 16 1-9/ 16	DUAL ROUND SQUARE	Ø41.2 38.0	Ø1- 15/8 1- 1/2	EXT	EXT	-	-	-
24	D2496	9.0	92	3-5/8	Ø42.9	Ø1-11/ 16	ROUND	Ø41.5	Ø1-5/8	EXT	EXT	-	-	-
24	D2490	6.0	54	3-1/8	Ø42.9	Ø1-11/ 16	ROUND	28,5	1-1/8	INT	EXT	-	-	-
24	D2488	4.5	54	2-1/8	Ø29.8	1-11/64	ROUND	38 Ø41.5	1-1/2 Ø1-5/8	INT	INT	-	-	-
24	D2487	6.0	73	2-7/8	39.7 Ø42.9	1-9/16 Ø1-11/ 16	DUAL ROUND SQUARE	28,5	1-1/8	-	INT	-	-	-
24	D2485	4.5	54	2-1/8	29,8	1-3/16	SQUARE	Ø44.5	Ø1-3/4	INT	EXT	-	-	-
24	D2480	4.5	46	39630	Ø46.4	Ø1-13/ 16	ROUND	Ø44.5	Ø1-3/4	-	EXT	-	-	-
24	D2478	6.0	54	2-1/8	Ø46.4	Ø1-13/ 16	ROUND	Ø44.5	1-1/2 Ø1-3/4	EXT	EXT	-	-	-
24	D2476	6.0	65	2-1/2	38.9 Ø45.6	1-9/16 Ø1-13/ 16	DUAL ROUND SQUARE	Ø32.0	Ø1-1/4	EXT	EXT	-	-	-
24	D2475	6.0	54	2-1/8	Ø32.9	Ø1-5/16	ROUND	32 38	1-1/4 1-1/2	EXT	EXT	-	-	-
24	D2473	6.0	79	3-1/8	32.5 38.9	1-5/16 1- 9/16	DOUBLE SQUARE	47,5	1-7/8'	EXT	EXT	-	-	-
24	D2469	6.0	79	3-1/8	Ø49.2	Ø1-15/ 16	ROUND	32	1-1/4	EXT	EXT	-	-	-
24	D2468	6.0	54	2-1/8	32,9	1-5-16	SQUARE	32	1-1/2 Ø1-5/8	INT	INT	-	-	-
24	D2451	6.0	79	3-1/8	Ø39.3	Ø1-9/16	ROUND	Ø38.0	Ø1-1/2	EXT	EXT	-	-	-
24	D2400	4.5	74	2 7/8	29,8	1-3/16	SQUARE	28,5	1-1/8	EXT	EXT	-	-	-
24	D2425	4.5	54	2-1/8	39,7	1-9/16	SQUARE	38	1-1/2	EXT		-	-	-
24	D2424	4.5	74	2-7/8	31	1-1/4	SQUARE	30	1-3/16	EXT	EXT	-	-	-
24	D2421	4.5	92	3-5/8	32,5	1-9/32	SQUARE	31,5	1-1/4	EXT	EXT	-	-	-
24	D2418	4.5	54	2-1/8	Ø46.4	Ø1-13/ 16	ROUND	Ø44.5	Ø1-3/4	-	EXT	-	-	-
24	D2414	4.5	74	2 7/8	29.8 32.9	1-3/16 1- 5/16	DOUBLE SQUARE	28.5 32	1-1/8 1-1/4	EXT	EXT	-	-	-
24	D2413	4.5	92	3-5/8	39.7 Ø42.9	1-9/16 Ø1-11/ 16	DUAL ROUND SQUARE	38 Ø41.5	1-1/2 Ø1-5/8	EXT	EXT	-	-	-
24	D2412	4.5	74	2 7/8	29.8 Ø32.9	1-3/16 Ø1-5/16	DUAL ROUND SQUARE	28.5 Ø32.0	1-1/8 Ø1-1/4	EXT	EXT	-	-	-
24	D2408	4.5	74	2 7/8	Ø32.9	Ø1-5/16	ROUND	Ø32.0	Ø1-1/4	EXT	EXT	-	-	-
24	D2407	4.5	92	3-5/8	Ø40.1	Ø1-9/16	ROUND	Ø38.0	Ø1-1/2	EXT	EXT	-	-	-

HARROW DISCS (NOTCHED)

Dia-meter	Refer-ence	Thick-ness	Conca-vity	Conca-vity-Inches	Hold Size	Hold Size Inches	Hole Shape	Axle	Axle inches	Edge	Bevel	Bolt Qty	Bolt size	Radius to fit bolt
26	D2655	6.0	96	3-3/4	52,4	2-1/16	ROUND	Ø51.0	Ø2	EXT	EXT	-	-	-
26	D2672	6.0	96	3-3/4	23	29/32	ROUND			EXT	EXT	-	-	-
26	D2673	6.0	63	2-1/2	Ø46.4	Ø1-13/16	ROUND	Ø44.5	Ø1-3/4	EXT	EXT	-	-	-
26	D2674	6.0	94	3-3/4	40	1-17/32 Ø1-13/16	DUAL ROUND SQUARE	38 Ø44.5	1-1/2 Ø1-3/4	EXT	EXT	-	-	-
26	D2654	6.0	63	2-1/2	52	2-1/16	SQUARE	51	2	EXT	EXT	-	-	-
26	D2653	6.0	63	3-7/8	30,9	1-7/32	SQUARE	30	1-3/16	EXT	EXT	-	-	-
26	D2651	6.0	99	3-7/8	29,8	1-3/16	SQUARE	28,5	1-1/8	EXT	EXT	-	-	-
26	D2650	6.0	86	3-3/8	29,8	1-3/16 Ø1-5/16	DUAL ROUND SQUARE	28.5 Ø32.0	1-1/8 Ø1-1/4	EXT	EXT	-	-	-
26	D2649	6.0	99	3-7/8	40,5	1-19/32	SQUARE	39,5	1-9/16	EXT	EXT	-	-	-
26	D2644	6.0	99	3-7/8	89,4		HEXAGONAL	88		EXT	EXT	-	-	-
26	D2642	6.0	99	3-7/8	Ø52.4	Ø2-1/16	ROUND	Ø51.0	Ø2	EXT	EXT	-	-	-
26	D2675	6.0	94	3-3/4	40	1-9/16	SQUARE	38	1-1/2	EXT	EXT	-	-	-
26	D2683	6.0	94	2-1/2	Ø39.7	Ø1-9/16	ROUND	Ø38.0	Ø1-1/2	EXT	EXT	-	-	-
26	D26100	7.5	101.0	4	Ø42.9	Ø1-11/16	ROUND	Ø41.27	Ø1-5/8	EXT	EXT	-	-	-
26	D2699	7.5	99	3-7/8	Ø42.9 39.7	Ø1-11/16 1-9/16	DUAL ROUND SQUARE	Ø41.5 38.1	Ø1-5/8 1-1/2	EXT	EXT	-	-	-
26	D2698	3.5	45	1-3/4	26,6	1-1/16	SQUARE	25,4	1	-	EXT	-	-	-
26	D2696	5.0	63	2-1/2	39.3 Ø42.9	1-9/16 Ø1-11/16	DUAL ROUND SQUARE	38 Ø41.5	1-1/2 Ø1-5/8	EXT	EXT	-	-	-
26	D2694	5.0	99	3-7/8	Ø42.9	Ø1-11/16	ROUND	Ø41.5	Ø15/8	EXT	EXT	-	-	-
26	D2691	5.0	94	3-3/4	45,6	1-25/32	SQUARE	44,5	1-3/4	EXT	EXT	-	-	-
26	D2690	6.0	99	3-7/8	Ø58.3	2-5/16	ROUND	Ø57.0	Ø2-1/4	-	EXT	-	-	-
26	D2689	6.0	99	3-7/8	Ø48.0	1-29/32	ROUND	Ø47.5		EXT	EXT	-	-	-
26	D2688	6.0	99	3-7/8	65,1	2-9/16	SQUARE	63,5	2-1/2	EXT	EXT	-	-	-
26	D2687	6.0	94	3-3/4	91,5	3-5/8	HEXAGONAL	90,5	3-9/16	EXT	EXT	-	-	-
26	D2685	6.0	94	3-3/4	36,2	1-7/16	SQUARE	35	1-3/8	EXT	EXT	-	-	-
26	D2641	6.0	99	3-7/8	Ø52.4	1-9/16 Ø1-11/16	DUAL ROUND SQUARE	38 Ø41.5	1-1/2 Ø1-5/8	INT	INT	-	-	-
26	D2640	6.0	94	3-3/4	39.7 Ø42.8	Ø1-11/16	ROUND	Ø41.5	Ø1-5/8	INT	EXT	-	-	-
26	D2608	5.0	99	3-7/8	39,7	1-9/16		38	1-1/2	EXT	EXT	-	-	-
26	D2620	6.0	99	3-7/8	33	1-5/16	SQUARE	38	1-1/2	INT	INT	-	-	-
26	D2619	6.0	94	3-3/4	39,7	1-9/16	ROUND	Ø41.0	Ø1-5/8	INT	INT	-	-	-
26	D2618	6.0	94	3-3/4	Ø42.9	1-11/16	ROUND	Ø51.0	Ø2	EXT	EXT	-	-	-
26	D2617	6.0	63	2-1/2	Ø52.4	2-1/16	SQUARE	38	1-1/2	EXT	EXT	-	-	-
26	D2616	5.0	94	3-3/4	39,7	1-9/16	SQUARE	38	1-1/2	EXT	EXT	-	-	-
26	D2612	6.0	94	3-3/4	39,7	1-9/16	SQUARE	28,5	1-1/8	EXT	EXT	-	-	-
26	D2611	6.0	94	3-3/4	29,8	15/16	ROUND			EXT	EXT	-	-	-
26	D2610	6.0	94	3-3/4	Ø23.8	15/16	ROUND	38	1-1/2	EXT	EXT	-	-	-
26	D2603	5.0	99	3-7/8	29,8	1-3/16	SQUARE	Ø41.5	Ø1-5/8	EXT	EXT	-	-	-
26	D2605	6.0	94	3-3/4	30.6 33.3	1-3/16 1-5/16	DOUBLE SQUARE	28,5	1-1/8	EXT	EXT	-	-	-
26	D2607	5.0	99	3-7/8	39,7	1-9/16	SQUARE	28.5 32	1-1/8 1-1/4	EXT	EXT	-	-	-
26	D2623	6.0	99	3-7/8	39,7	1-9/16	ROUND	Ø32.0	Ø1-1/4	EXT	EXT	-	-	-
26	D2624	6.0	94	3-3/4	Ø39.7		SQUARE	38	1-1/2	EXT	EXT	-	-	-
26	D2625	6.0	99	3 7/8	32,9	Ø1-9/16	ROUND	38	1-1/2	EXT	EXT	-	-	-
26	D2637	6.0	86	3-3/8	39,7	1-9/16	SQUARE	38	1-1/2	EXT	EXT	-	-	-
26	D2636	6.0	63	2-1/2	39,7	1-9/16	SQUARE	38	1-1/2	INT	EXT	-	-	-
26	D2634	6.0	63	2-1/2	39,7	1-9/16	DUAL ROUND SQUARE	38 Ø44.5	1-1/2 Ø1-3/4	EXT	EXT	-	-	-
26	D2633	6.0	94	3-3/4	39.7 Ø46.4	Ø1-11/16	ROUND	Ø41.5	Ø15/8	EXT	EXT	-	-	-
26	D2632	6.0	99	3-7/8	Ø42.9	Ø1-11/16	DUAL ROUND SQUARE	38 Ø41.5	1-1/2 Ø1-5/8	EXT	EXT	-	-	-
26	D2631	6.0	99	3-7/8	39.3	1-5/16	SQUARE	32	1-1/4	EXT	EXT	-	-	-

HARROW DISCS (NOTCHED)

DIAMETER		THICKNESS	
m/m	"	m/m	" or GA
300	12"	3	11 GA
330	13"	--	--
360	14"	--	--
410	16"	--	--
450	18"	3,25	10 GA
--	--	4	8 GA
510	20"	3,5	9 GA
--	--	4	8 GA
--	--	4,5	7 GA
--	--	5	3/16"
560	22"	4	8 GA
--	--	4,5	7 GA
--	--	5	3/16"
--	--	6	15/64"
610	24"	5	3/16"
--	--	6	15/64"
660	26"	5	3/16"
--	--	6	15/64"
--	--	7	9/32"
--	--	8	5/16"
710	28"	6	15/64"
--	--	7	9/32"
--	--	8	5/16"
--	--	10	3/8"
760	30"	8	5/16"
--	--	10	3/8"
810	32"	8	5/16"
--	--	10	3/8"
910	36"	12	1/2"
960	38"	12,5	1/2"
1016	40"	12,5	1/2"
1116	44"	12,5	1/2"

NO.OF NOTCHES	WEIGHT	
	KG	LBS
6	1,1	2,4
--	1,2	2,6
7	1,9	4,1
8	2,7	5,9
9	3,8	8,4
9	4,7	10,3
10	5,6	11,5
--	5,8	12,7
--	6,5	14,3
--	6,7	14,7
--	7,5	16,5
--	8	17,6
--	9	19,8
--	11	24,2
--	10,5	23,1
--	13	28,6
--	--	--
--	15,8	34,8
--	18,5	40,7
--	21	46
--	18,5	40,7
--	21,5	47,3
--	24	52,1
--	30,5	67
--	28	61,5
--	33,5	73,7
--	33	72,6
--	40	88
14	60	132
15	70	154
--	77	169,4
--	84	184,8