


# TYPES OF DISCS

## HARROW DISCS (PLAIN)



Dia- meter	Refer- ence	Thick- ness	Conca- vity	Conca- vity Inches	Hold Size	Hold Size Inches	Hole Shape	Axle	Axle Inches	Edge	Bevel	Bolt Qty	Bolt size	Radius to fit bolt
16	L1655	3.5	35	1-3/8	69.9	2-3/4	ROUND			.	EXT	-	-	-
16	L1609	3.5	35	1-3/8	17.5	11/16	ROUND	15,8	5/8	-	EXT	-	-	-
16	L1608	3.5	35	1-3/8	33.3	1-5/16	ROUND	31,7	1-1/4	-	EXT	-	-	-
16	L1605	3.5	35	1-3/8	26.6	1-1/16 1 3/16	DOUBLE SQUARE	25.4 28.5	1 1-1/8	-	EXT	-	-	-
16	L1604	3.0	35	1-3/8	26.6	1-1/16	SQUARE	25,4	1	-	EXT	-	-	-
16	L1603	3.0	35	1-3/8	31	1-1/4	SQUARE	30,1	1-3/16	-	EXT	-	-	-
16	L1602	3.5	35	1-3/8	29.8	1-11/64	SQUARE	28,5	1-1/8	-	EXT	-	-	-
16	L1601	3.0	35	1-3/8	63.5	2-1/2	ROUND	28,5	1-1/8	EXT	EXT	-	-	-
16	L1600	3.5	35	1-3/8	63.5	2-1/2	ROUND			-	EXT	3	12,7	63,5
18	L1818	3.5	45	1-3/4	29.4	1-3/16	ROUND	28,5	13/16	EXT	EXT	-	-	-
18	L1819	3.5	45	1-3/4	25.5	1	SQUARE	23,8	1-1/8	EXT	EXT	-	-	-
18	L1820	3.5	45	1-3/4	67.5	2-11/16	HEXAGONAL	44,5	5/8	-	EXT	-	-	-
18	L1821	3.5	45	1-3/4	33	1-5/16	SQUARE	31,7	2-5/8	EXT	EXT	-	-	-
18	L1853	3.5	45	1-3/4	23	15/16	SQUARE	22,2	7/8	EXT	EXT	-	-	-
18	L1817	3.5	45	1-3/4	22.5	7/8	SQUARE	21	Ø1-1/2	EXT	EXT	-	-	-
18	L1816	3.5	45	1-3/4	39.3	1-9/16	ROUND	38,1	1-1/2	EXT	EXT	-	-	-
18	L1800	3.5	45	1-3/4	29.8	1-11/64	SQUARE	28,5	1-1/8			-	-	-
18	L1803	3.5	45	1-3/4	26.6 29.8	1-1/16 1- 3/16	DOUBLE SQUARE	25.4 28.5	1 1-1/8	EXT	EXT	-	-	-
18	L1806	3.5	45	1-3/4	29.8	1-11/64	ROUND	28,5	1-1/8	EXT	EXT	-	-	-
18	L1807	3.5	45	1-3/4	59.5	2-3/8	ROUND			EXT	EXT	-	-	-
18	L1813	3.5	45	1-3/4	29.8 32.5	1-3/16 1- 5/16	DOUBLE SQUARE	28.5 31.7	1-1/8 1-1/4	-	EXT	-	8,5	40
20	L2018	3.5	58	2-1/4	67.5	2-21/32	HEXAGONAL	29	1-1/8	EXT	EXT	-	-	-
20	L2019	3.5	54	2-1/8	33	1-5/16	SQUARE	31,5	Ø1-1/2	EXT	EXT	-	-	-
20	L2020	3.5	58	2-1/4	22.5	7/8	SQUARE	66,5	2-5/8	EXT	EXT	-	-	-
20	L2021	3.5	58	2-1/4	25.5	1	SQUARE	21	13/16	EXT	EXT	-	-	-
20	L2022	3.5	58	2-1/4	33	1-5/16	SQUARE	31,5	1-1/4	EXT	EXT	-	-	-
20	L2032	4.0	54	2-1/8	29.8	1-11/64	SQUARE	24	15/16	EXT	EXT	-	-	-
20	L2045	3.5	58	2-1/4	29.8 32.5	1-3/16 1- 9/32	DOUBLE SQUARE	28.5 31.5	1-1/8 1-1/4	EXT	EXT	-	-	-
20	L2071	3.5	49	2	63.5	2-1/2	ROUND	28,5	1-1/8	EXT	EXT	-	-	-
20	L2017	3.5	58	2-1/4	30.5	1-3/16	SQUARE	27	1-1/16		EXT	-	-	-
20	L2016	3.5	58	2-1/4	28.5	1-1/8	SQUARE			-	EXT	6	6,7	31,8
20	L2000	3.5	54	2-1/8	29.8	1-11/64	SQUARE		15/16	EXT	EXT	-	-	-
20	L2001	3.5	58	2-1/4	27	1-1/16	SQUARE	25,5	1	EXT	EXT	-	-	-
20	L2004	3.5	54	2-1/8	29.8 32.9	1-3/16 1- 5/16	DOUBLE SQUARE	22,2	7/8	EXT	EXT	-	-	-
20	L2008	3.5	54	2-1/8	26.6 29.8	1-1/16 1- 3/16	SQUARE	25.5 28.5	1 1-1/8	EXT	EXT	-	-	-
20	L2009	3.5	54	2-1/8	Ø 39.7	Ø 1-9/16	ROUND	Ø38.0	Ø1-1/2	EXT	EXT	-	-	-
20	L2010	4.5	54	2-1/8	26.6 29.8	1-1/16 1- 3/16	DOUBLE SQUARE	25.5 28.5	1 1-1/8	EXT	EXT	-	-	-
20	L2012	3.5	54	2-1/8	26.6	1-1/16	DUAL ROUND SQUARE			-	EXT	6	6,7	31,8
20	L2015	3.5	58	2-1/4	23 Ø26.2	29/32 Ø 1-1/32	DUAL ROUND SQUARE	22 Ø 25.5	7/8 Ø1	EXT	EXT	-	-	-

## HARROW DISCS (PLAIN)

Dia-meter	Refer-ence	Thick-ness	Conca-vity	Concavity Inches	Hold Size	Hold Size Inches	Hole Shape	Axle	Axle inches	Edge	Bevel	Bolt Qty	Bolt size	Radius to fit bolt
22	L2223	4.0	73	2-7/8	29.8 33	1-3/16 1-5/16	DOUBLE SQUARE	28.5 32	1-1/8 1-1/4 u	EXT	EXT	-	-	-
22	L2224	4.0	73	2-7/8	32.5	1-5/16	SQUARE	31		EXT	EXT	-	-	-
22	L2225	4.0	60	2-3/8	33 29.8	1-5/16 1-3/16	DOUBLE SQUARE	32 28.5	1-1/4 1-1/8	EXT	EXT	-	-	-
22	L2226	4.0	73	2-7/8	30.5	1-3/16	SQUARE	29,5		EXT	EXT	-	-	-
22	L2227	4.0	73	2-7/8	67.5	2-11/16	HEXAGONAL	66	2-5/8	EXT	EXT	-	-	-
22	L2228	4.0	73	2-7/8	25.5	1	SQUARE	24	15/16	EXT	EXT	-	-	-
22	L2230	4.0	60	2-3/8	29.8 33	1-3/16 1-5/16	DOUBLE SQUARE	28.5 32	1-1/8 1-1/4 u	EXT	EXT	-	-	-
22	L2232	4.0	60	2-3/8	Ø23.0	Ø15/16	ROUND			EXT	EXT	-	-	-
22	L2237	4.5	60	2-3/8	29.8	1-11/64	SQUARE	28,5	1-1/8	EXT	EXT	-	-	-
22	L2222	4.0	60	2-3/8	26.6 29.8	1-1/16 1-3/16	DOUBLE SQUARE	25.5 28.5	1 1-1/8	EXT	EXT	-	-	-
22	L2221	4.0	60	2-3/8	Ø51.6	Ø2-1/16	ROUND	Ø50.5	Ø2	EXT	EXT	-	-	-
22	L2200	4.0	63	2-1/2	29.8	1-11/64	SQUARE			-	EXT	3	12,7	63,5
22	L2202	4.0	60	2-3/8	29.8 32.9	1-3/16 1-5/16	DOUBLE SQUARE	28.5 32	1-1/4	EXT	EXT	-	-	-
22	L2205	4.0	60	2-3/8	39.3	1-9/16	SQUARE			-	EXT	3	12,7	63,5
22	L2208	4.0	60	2-3/8	33	1-5/16	SQUARE	38	1-1/2	EXT	EXT	-	-	-
22	L2210	4.0	60	2-3/8	Ø39.7	Ø1-9/16	ROUND	32	1-1/4	EXT	EXT	-	-	-
22	L2211	4.0	62	2-3/8	Ø46.4	Ø1- 13/16	ROUND	Ø45.0		EXT	EXT	-	-	-
22	L2212	4.0	60	2-3/8	32.9 29.8	Ø1-5/16 1-3/16	DUAL ROUND SQUARE	Ø32.0 28.5	Ø1- 1/4-1- 1/	EXT	EXT	-	-	-
22	L2215	4.0	60	2-3/8	Ø29.8	Ø1-3/16	ROUND	Ø28.5	Ø1-1/8	EXT	EXT	-	-	-
22	L2216	4.0	60	2-3/8	Ø32.9	Ø1-5/16	ROUND	Ø32.0	Ø1-1/4	EXT	EXT	-	-	-
24	L2452	6.0	79	3-1/8	29.8	1-11/64	SQUARE	28,5	Ø1-1/2	EXT	EXT	-	-	-
24	L2451	6.0	79	3-1/8	Ø39.3	Ø1-9/16	ROUND	Ø38.0	1-1/4	EXT	EXT	-	-	-
24	L2450	6.0	79	3-1/8	32.9	1-5/16	SQUARE	32	1-1/4	INT	INT	-	-	-
24	L2449	6.0	73	2-7/8	32.9	1-5/16	SQUARE	32	1-3/4	EXT	EXT	-	-	-
24	L2448	6.0	79	3-1/8	45.6	1-13/16	SQUARE			EXT	EXT	-	-	-
24	L2446	4.5	74	2-7/8	Ø23.0	Ø15/16	ROUND			EXT	EXT	-	-	-
24	L2440	6.0	92	3-5/8	Ø19.9	Ø13/16	ROUND	Ø19.0	Ø3/4	INT	INT	-	-	-
24	L2453	6.0	79	3-1/8	39,7	1-9/16	SQUARE	38	1-1/8	EXT	EXT	-	-	-
24	L2456	6.0	79	3-1/8	Ø46.4	Ø1-7/8	ROUND	Ø44.5	1-1/2	EXT	EXT	-	-	-
24	L2457	6.0	79	3-1/8	38.9 Ø45.6	1-9/16 Ø1-13/	DUAL ROUND SQUARE	38.1 Ø44.5	Ø1-3/4	EXT	EXT	-	-	-
24	L2458	6.0	92	3-5/8	39.7 Ø42.9	1-9/16 Ø1-11/	DUAL ROUND SQUARE	38 Ø41.5	1-1/2 Ø1-5/8	EXT	EXT	-	-	-
24	L2459	6.0	79	3-1/8	29.8 32.9	1-3/16 1-5/16	DOUBLE SQUARE	28.5 32		EXT	EXT	-	-	-
24	L2460	6.0	79	3-1/8	Ø42.9	Ø1- 11/16	ROUND	Ø41.5	1-1/8 1-1/4 u	EXT	EXT	-	-	-
24	L2470	6.0	79	3-1/8	Ø51.6	Ø2-1/16	ROUND	51	Ø1-5/8	EXT	EXT	-	-	-
24	L2471	6.0	79	3-1/8	20.6	13/16	SQUARE	51	2	EXT	EXT	5	-	-
24	L2491	4.5	74	2 7/8	Ø39.3	Ø1-9/16	ROUND	19	3/4	-	EXT	-	-	-
24	L2438	6.0	73	2-7/8	32.9 Ø40.1	1-5/16 Ø1-9/1	DUAL ROUND SQUARE	32 Ø38.0		EXT	EXT	-	-	-
24	L2436	6.0	79	3-1/8	Ø23.0	Ø15/16	ROUND			-	EXT	-	-	-
24	L2400	4.5	74	2 7/8	29.8	1-11/64	SQUARE	28,5	1-1/8	EXT	EXT	-	-	-
24	L2401	4.5	74	2 7/8	Ø46.4	Ø1- 13/16	ROUND	Ø44.5	Ø1-3/4	EXT	EXT	-	-	-
24	L2402	4.5	74	2 7/8	32.9	1-5/16	SQUARE	32	1-1/4	EXT		-	-	-
24	L2403	4.5	74	2 7/8	39.7	1-9/16	SQUARE	38	1-1/2	EXT	EXT	-	-	-
24	L2407	4.5	92	3-5/8	Ø40.1	Ø1-9/16	ROUND	Ø38.0	Ø1-1/2	EXT	EXT	-	-	-
24	L2412	4.5	74	2 7/8	29.8 Ø32.9	1-3/16 Ø1-5/1	DUAL ROUND SQUARE	28.5 Ø32.0	1-1/8 Ø1-1/4	EXT	EXT	-	-	-
24	L2414	4.5	74	2 7/8	29.8 32.9	1-3/16 1-5/16	DOUBLE SQUARE	28.5 32	1-1/8 1-1/4	EXT	EXT	-	-	-
24	L2425	4.5	54	2-1/8	39.7	1-9/16	SQUARE	38	1-1/2	EXT	EXT	-	-	-
24	L2426	4.5	54	2-1/8	Ø32.9	Ø1-5/16	ROUND	Ø32.0	Ø1-1/4	EXT	EXT	-	-	-

## HARROW DISCS (PLAIN)

Dia-meter	Refer-ence	Thick-ness	Conca-ivity	Conca-ivity Inches	Hold Size	Hold Size Inches	Hole Shape	Axle	Axle inches	Edge	Bevel	Bolt Qty	Bolt size	Radius to fit bolt
26	L2632	6.0	99	3-7/8	Ø42.9	Ø1-11/16	ROUND	32	1-1/4	EXT	EXT	-	-	-
26	L2633	6.0	94	3-3/4	39.7 Ø46.4	1-9/16 Ø1-13/16	DUAL ROUND SQUARE	Ø41.5	Ø15/8	EXT	EXT	-	-	-
26	L2634	6.0	63	2-1/2	39.7	1-9/16	SQUARE	38 Ø44.5	1-1/2 Ø1-3/4	EXT	EXT	-	-	-
26	L2635	5.0	89	3-1/2	39.7 Ø46.4	1-9/16 Ø1-13/16	SQUARE	38	1-1/2	INT	EXT	-	-	-
26	L2645	6.0	94	3-3/4	90.5	3-9/16	HEXAGONAL	38.1 Ø44.5	1-1/2 Ø1-3/4	EXT	EXT	-	-	-
26	L2646	6.0	99	3-7/8	91.5		HEXAGONAL	88,9	3-1/2	EXT	EXT	-	-	-
26	L2648	6.0	94	3-3/4	91.5	3.602	HEXAGONAL			INT	INT	-	-	-
26	L2650	6.0	86	3-3/8	29.8	1-11/64	SQUARE	28,5		EXT	EXT	-	-	-
26	L2655	6.0	96	3-3/4	23	29/32	SQUARE	28,5	1-1/8	EXT	EXT	-	-	-
26	L2661	6.0	63	2-1/2	23	29/32	ROUND			EXT	EXT	-	-	-
26	L2688	6.0	99	3-7/8	Ø48.0		SQUARE	32	1-1/4	EXT	EXT	-	-	-
26	L2695	6.0	99	3-7/8	Ø27.0	1-29/32	ROUND	Ø47.5		EXT	EXT	-	-	-
26	L2630	6.0	94	3-3/4	32.9	1-5/16	SQUARE	28,5	1-1/8	EXT	EXT	-	-	-
26	L2629	6.0	99	3-7/8	29.8	1-11/64	SQUARE	38 Ø44.5	1-1/2 Ø1-3/4	EXT	EXT	3	-	-
26	L2627	6.0	99	3-7/8	38.9 Ø45.6	1-17/32 Ø1-13/16	DUAL ROUND SQUARE	Ø44.5	Ø1-3/4	EXT	EXT	-	-	-
26	L2602	6.0	99	3-7/8	30.5	1-3/16	SQUARE	38	1-1/2	EXT	EXT	-	-	57,2
26	L2603	5.0	99	3-7/8	29.8	1-11/64	SQUARE	28,5	1-1/8	EXT	EXT	-	-	-
26	L2605	6.0	94	3-3/4	30.6 33.3	1-3/16 1-5/16	DOUBLE SQUARE	28,5	1-1/8	EXT	EXT	-	-	-
26	L2608	5.0	99	3-7/8	39.7	1-9/16	ROUND	38	1-1/8 1-1/4	EXT	EXT	-	-	-
26	L2610	6.0	94	3-3/4	Ø23.8	15/16	ROUND	38	1-1/2	EXT	EXT	-	-	-
26	L2611	6.0	94	3-3/4	29.8	1-11/64	SQUARE			EXT	EXT	-	-	-
26	L2612	6.0	94	3-3/4	39.7	1-9/16	SQUARE	28,5	1-1/8	EXT	EXT	-	-	-
26	L2626	6.0	99	3-7/8	Ø46.4	Ø1-13/16	ROUND	32	1-1/4	EXT	EXT	-	-	-
26	L2625	6.0	99	3 7/8	32.9	1-5/16	SQUARE	38	1-1/2	EXT	EXT	-	-	-
26	L2624	6.0	94	3-3/4	Ø39.7	Ø1-9/16	ROUND	38	1-1/2	EXT	EXT	-	-	-
26	L2623	6.0	99	3-7/8	39.7	1-9/16	SQUARE	38	1-1/2		EXT	-	-	-
26	L2616	5.0	94	3-3/4	39.7	1-9/16	SQUARE	38	1-1/2	EXT	EXT	-	-	-
28	L2876	7.5	108	4-1/4	23	Ø15/16	ROUND			EXT	EXT	-	-	-
28	L2867	7.5	108	4-1/4	Ø23.0	Ø15/16	ROUND			EXT	EXT	-	-	-
28	L2866	7.5	110	4-1/4	Ø23.0	Ø15/16	ROUND			EXT	EXT	-	-	-
28	L2826	6.0	108	4-1/4	Ø23.0	Ø13/16	ROUND	Ø19.0	Ø 3/4	EXT	EXT	-	-	-
28	L2820	6.0	105	4-1/8	Ø21.0	1-3/16	SQUARE	28,5	1-1/8	EXT	EXT	-	-	-
28	L2819	6.0	110	4-1/4	29.8	1-11/64	ROUND	Ø38.0	1-1/2	EXT	EXT	-	-	-
28	L2810	6.0	110	4-1/4	Ø40.0	1-9/16	SQUARE	38	1-1/2	EXT	EXT	-	-	-
28	L2808	6.0	110	4-1/4	39.7	1-9/16	ROUND	Ø44.5		EXT	EXT	-	-	-
28	L2807	6.0	110	4-1/4	Ø46.4		ROUND	Ø25.5	Ø1	INT	EXT	-	-	-
28	L2802	6.0	110	4-1/4	Ø27.0	Ø1-1/16	ROUND			INT	EXT	-	-	-
30	L3027	9.0	122	4-7/8	45.6	1-13/16	SQUARE	44,5	15/16	EXT	EXT	-	-	-
32	L3208	9.0	126	5	Ø23.0	Ø15/16	ROUND			EXT	EXT	-	-	-
32	L3224	9.0	126	5	Ø23.8	Ø15/16	ROUND			EXT	EXT	-	-	-
32	L3225	9.0	126	5	Ø55.6	Ø1-9/32	ROUND	Ø32.0	1-1/4	EXT	EXT	-	-	-

## HARROW DISCS (PLAIN)

DIAMETER		THICKNESS		PLAIN	
m/m	"	m/m	" or GA	WEIGHT	
				KG	LBS
300	12"	3	11 GA	1,6	3,5
330	13"	--	--	1,8	4
360	14"	--	--	2,3	4,9
410	16"	--	--	3,2	7
450	18"	3,25	10 GA	4,3	9,5
--	--	4	8 GA	5,3	11
510	20"	3,5	9 GA	5,8	12,7
--	--	4	8 GA	6,5	14,4
--	--	4,5	7 GA	7	15,5
--	--	5	3/16"	7,6	16,5
560	22"	4	8 GA	8,1	18
--	--	4,5	7 GA	9	20
--	--	5	3/16"	9,5	21,6
--	--	6	15/64"	12	26,5
610	24"	5	3/16"	11,3	25
--	--	6	15/64"	14,2	31,5
660	26"	5	3/16"	14,1	31
--	--	6	15/64"	17	37,5
--	--	7	9/32"	20	43,5
--	--	8	5/16"	23	51
710	28	6	15/64"	20	44
--	--	7	9/32"	23	50,6
--	--	8	5/16"	26	57
--	--	10	3/8"	32	71
760	30"	8	5/16"	29	64
--	--	10	3/8"	35	77
810	32"	8	5/16"	--	--
--	--	10	3/8"	43	95
910	36"	12	1/2"	68	150
960	38"	12,5	1/2"	77	170
1016	40"	12,5	1/2"	82	180
1116	44"	12,5	1/2"	89	196