

## ROTAVATOR BLADES



REF.	THICKNESS (mm)	DEGREES	LENGTH (mm)	WIDTH (mm)	HOLE SIZE	NUMBER OF HOLES	DISTANCE BETWEEN HOLES
CDP612	6.0	0	171	63	13.0	2	34.4
CIP613	6.0	0	171	63	13.0	2	34.4
CD612	6.0	RADIO 76	171	63	13.0	2	34.4
CI613	6.0	RADIO 76	171	63	13.0	2	34.4
CDP812	6.0	0	205	92	13.0	2	57.1
CIP813	6.0	0	205	92	13.0	2	57.1
CD812	6.0	RADIO 76	205	92	13.0	2	57.1
CI813	6.0	RADIO 76	205	92	13.0	2	57.1
CD814	6.0	RADIO 76	205	79	13.0	2	57.1
CI815	6.0	RADIO 76	205	79	13.0	2	57.1
CD816	6.0	RADIO 76	205	92	14.7	2	57.1
CI817	6.0	RADIO 76	205	92	14.7	2	57.1
CD874	5.0	RADIO 76	220	44	8.5	2	70.0
CI875	5.0	RADIO 76	220	44	8.5	2	70.0
CD876	5.0	RADIO 76	220	44	11.0	2	70.0
CI877	5.0	RADIO 76	220	44	11.0	2	70.0
CD1012	6.0	90	254	50	13.0	2	34.4
CI1013	6.0	90	254	50	13.0	2	34.4
CD1022	6.0	135	254	50	13.0	2	34.4
CI1023	6.0	135	254	50	13.0	2	34.4
CD1024	6.0	135	258	88	14.7	2	57.1
CI1025	6.0	135	258	88	14.7	2	57.1
CD1026	6.0	135	276	80	14.7	2	57.1
CI1027	6.0	135	276	80	14.7	2	57.1
CD1042	9.0	135	250	88	14.7	2	57.1
CI1043	9.0	135	258	88	14.7	2	57.1

## ROTAVATOR BLADES



REF.	THICKNESS (mm)	DEGREES	LENGTH (mm)	WIDTH (mm)	HOLE SIZE	NUMBER OF HOLES	DISTANCE BETWEEN HOLES
CD1112	6.0	90	285	69	13.0	2	57.1
CI1113	6.0	90	285	69	13.0	2	57.1
CD1114	6.0	90	285	69	14.7	2	57.1
CI1115	6.0	90	285	69	14.7	2	57.1
CD1122	6.0	135	285	69	13.0	2	57.1
CI1123	6.0	135	285	69	13.0	2	57.1
CD1124	6.0	135	285	69	14.7	2	57.1
CI1125	6.0	135	285	69	14.7	2	57.1
CD1132	9.0	90	285	69	13.0	2	57.1
CI1133	9.0	90	285	69	13.0	2	57.1
CD1134	9.0	90	285	69	14.7	2	57.1
CI1135	9.0	90	285	69	14.7	2	57.1
CD1142	9.0	135	285	69	13.0	2	57.1
CI1143	9.0	135	285	69	13.0	2	57.1
CD1144	9.0	135	285	69	14.7	2	57.1
CI1145	9.0	135	285	69	14.7	2	57.1
CD1146	9.0	135	278	56	14.7	2	57.1
CI1147	9.0	135	278	56	14.7	2	57.1
CD1164	9.0	135	285	70	14.7	2	46.0
CI1165	9.0	135	285	70	14.7	2	46.0
CD1074	5.0	RADIO 76	255	44	8.5	2	70.0
CI1075	5.0	RADIO 76	255	44	8.5	2	70.0
CD1184	5.0	RADIO 76	255	44	10.5	2	80.0
CI1185	5.0	RADIO 76	255	44	10.5	2	80.0
CD1186	7.5	90	285	69	14.7	2	46.0
CI1187	7.5	90	285	69	14.7	2	46.0
CP901	5.0	0	230	44	10.5	2	70.0
CP1174	5.0	0	220	44	8.5	2	70.0
CD1190	6.0	RADIO 76	255	44	11.0	2	66.5
CI1191	6.0	RADIO 76	255	44	11.0	2	66.5
CD1192	7.5	90	285	85	13.0	2	57.1
CI1193	7.5	90	285	85	13.0	2	57.1

## ROTAVATOR BLADES



REF.	THICKNESS mm	DEGREES	LENGTH mm	WIDTH mm	HOLE SIZE	NUMBER OF HOLES	DISTANCE BETWEEN HOLES
CDP612	6.0	0	171	63	13.0	2	34.4
CIP613	6.0	0	171	63	13.0	2	34.4
CD612	6.0	RADIO 76	171	63	13.0	2	34.4
CI613	6.0	RADIO 76	171	63	13.0	2	34.4
CDP812	6.0	0	205	92	13.0	2	57.1
CIP813	6.0	0	205	92	13.0	2	57.1
CD812	6.0	RADIO 76	205	92	13.0	2	57.1
CI813	6.0	RADIO 76	205	92	13.0	2	57.1
CD814	6.0	RADIO 76	205	79	13.0	2	57.1
CI815	6.0	RADIO 76	205	79	13.0	2	57.1
CD816	6.0	RADIO 76	205	92	14.7	2	57.1
CI817	6.0	RADIO 76	205	92	14.7	2	57.1
CD874	5.0	RADIO 76	220	44	8.5	2	70.0
CI875	5.0	RADIO 76	220	44	8.5	2	70.0
CD876	5.0	RADIO 76	220	44	11.0	2	70.0
CI877	5.0	RADIO 76	220	44	11.0	2	70.0
CD1012	6.0	90	254	50	13.0	2	34.4
CI1013	6.0	90	254	50	13.0	2	34.4
CD1022	6.0	135	254	50	13.0	2	34.4
CI1023	6.0	135	254	50	13.0	2	34.4
CD1024	6.0	135	258	88	14.7	2	57.1
CI1025	6.0	135	258	88	14.7	2	57.1
CD1026	6.0	135	276	80	14.7	2	57.1
CI1027	6.0	135	276	80	14.7	2	57.1
CD1042	9.0	135	250	88	14.7	2	57.1
CI1043	9.0	135	258	88	14.7	2	57.1